

Dear Valued Customer:

Attached, please find the Material Safety Data Sheet (MSDS) for DeckRevive™ and DockRevive™. We have reviewed our products with our suppliers, conducted a hazard determination, and prepared this MSDS in compliance with the requirements of the Occupational Safety and Health Administration (OSHA) Hazard Communication Standard, 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS). This MSDS also provides information on any toxic chemical subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).

If this product, or any component of it is considered to be hazardous or carcinogenic under the OSHA Hazard Communication Standard or the WHMIS regulations, information is provided in this MSDS.

If you have any questions, please contact your Sales Representative.

Sincerely yours,

GULF SYNTHETICS, LLC

MATERIAL SAFETY DATA SHEET

Identity: Gulf Synthetics Revision Date: May 15, 2011

Proprietary Polymer Blend Supersedes: February 18, 2009

Section I - Company Information

Provider's Name: Gulf Synthetics, LLC

Address: 1340 Oak Industrial Lane, Suite 300

City, State, Zip Cumming, GA 30041 Emergency Phone: (877) 946-4853

Section II - Composition/Information on Ingredients

CAS No./	Wt %	Components
NJRTK No.		
7732-18-5	55.40	Water
8531P	43.20	Acrylic copolymer
8532P	1.30	Nonylphenol polyglycolether phosphate
7664-41-7	0.10	Ammonia

Section III - Physical/Chemical Characteristics of Wet Component

Boiling Point: 100.0°C (212.00° F) Viscosity 75 mPa.s at 25° C (77° F) Method: Brookfield

Vapor Pressure 23 hPa at 20°C (68° F) (as water) pH: 8.7

Density: 1.05 g/cm₃ Appearance and Odor: Liquid White/Mild Ammonia

Vapor Density: <1.0 Solidity in Water: Dispersible

Section IV - Hazards Identification

**As defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. See Section IX for exposure guidelines & Section XI for toxicology and ingredient specific information

EMERGENCY OVERVIEW

WHITE LIQUID; MILD AMMONIA ODOR; SKIN IRRITANT. EYE IRRITANT. RESPIRATORY IRRITANT. GASTOINTESTINAL IRRITANT.

Potential Health Hazards

EYES This product contains a component which is an eye irritant. Based on similar materials.

SKIN Short contact periods with human skin are not usually associated withskin irritation; repeated and

/or prolonged contact can result in skinirritation

INGESTION In humans, irritation of the mouth, pharynx, esophagus, and stomach can develop following

ingestion of this material

INHALATION Vapors and/or aerosols of this material will probably irritate mucous membranes, eyes, nose, and

respiratory passages.

Section V - First Aid Measures

INHALATION Remove victim to fresh air. If a cough or other respiratory symptons develop, consult medical

personnel.

SKIN CONTACT Wash off of skin with plenty of soap and water. If redness, itching or burning sensation develops,

get medical attention. Wash contaminated clothing and decontaminate footwear before reuse.

EYE CONTACT Immediately flush with plenty of water for at least 15 minutes. If redness, itching, or a burning

sensation develops, have eyes examined and treated by medical personnel.

INGESTION DO NOT INDUCE VOMITING. Give one or two glasses of water to drink and refer to medical

personnel or take from either a physician or a poison control center. Never give anything by mouth

to an unconscious person.

Section VI – Fire Fighting Measures

Flammable Properties

Flash Point: >93.33°C (199°F) Pensky-Martens Closed Tester

Extinguishable agents

Use water, fog, foam, carbon dioxide, dry chemical, halogenated agents.

Specific hazards during fire fighting

This material will not support combustion unless the water has evaporated. Combustion products: Carbon oxides, nitrogen oxides.

Special protective equipment for fire-fighters

Wear self-contained breathing apparatus with full facepiece and full protective clothing. If contact occurs with material or its solutions, immediately flush with water and remove contaminated clothing.

Section VII - Accidental Release Measures

Personal precautions

Wear skin, eye, and repiratory protection during cleanup. Floor may become slippery if spilled

Methods for cleaning up

Contain spill. Soak up material with absorbent and shovel into a chemical waste container.

Section VIII - Handling and Storage

Handling

This material contains trace amounts (less than or equal to 0.2%) of residual monomers.

The liberation of ammonia may be retarded because of chemical neutralization in the product. Although the concentration in this product is low, the high vapor pressure of ammonia may make it possible to exceed the TLV or PEL in drum head space or other confined areas. Avoid opening drums in unventilated areas to avoid concentrated ammonia vapors.

This product, which is an aqueous dispersion of a polymer, may be difficult to remove without injuring the skin if allowed to dry.

Avoid breathing vapors or aerosols.

Prevent skin and eye contact.

Normal chemical handling and storage.

Requirements for storage areas and containers

Keep container tightly sealed. Store in a cool, well ventilated area away from heat, sources of ignition, direct sunlight, and incompatible materials. Keep from freezing.

Section IX - Exposure Control/Personal Protection

Engineering measures

No ACGIH TLV or OSHA PEL is assigned to this mixture. Control of exposure to below the PEL for the ingredients may not be sufficient. Minimize exposure in accordance with good hygiene practice. Use ventilation adequate to maintain safe levels. Open containers in well ventilated areas to avoid inhalation of accumulated residual monomers or other volatile components which may be present at trace levels.

Eye protection

Wear chemical tight goggles; full faceshield in addition if splashing is possible

Skin and body protection

Wear impervious gloves and apron.

Respiratory protection

If needed, use NIOSH certified respirator for organic vapors, mists and fumes.

Section X - Stability and Reactivity

Conditions to avoid None known

Materials to avoid Strong oxidizing agents

Hazardous decomposition products

Carbon oxides / Nitrogen oxides

Thermal decompositionThe material will not support combustion unless the water has

evaporated

Hazardous reactions

Hazardous polymerization is not known to occur

Section XI – Toxicological Information

Carcinogenicity This product contains no components present at concentrations equal to or

greater than 0.1% kisted by IARC, OSHA, NTP or ACGIH as a carcinogen.

Regulatory List Chemical

NTP	N.D.	
IARC	N.D.	
OSHA	N.D.	

Section XI – Ecological Information

Remarks

Other No data

Section XII - Disposal Considerations

Discarded product is not hazardous waste under RCRA but may be regulated by other Disposal method

jurisdictions. In Canada, observe all applicable Canadian regulations.

Container disposal Empty container retains product residue. Observe all hazard precautions. Do not

distribute, make available, furnish or reuse empty container except for storage and shipment of original product. Remove all product residue from container and puncture or

otherwise destroy empty container before disposal.

Section XIII - Transport Information

Proper shipping name Not Regulated by US DOT

Section XIV – Regulatory Information

TSCA (TSCA Substances Control Act) : All components are on the TSCA Chemical Substances Inventory

CEPA (Canadian Environmental Protection Act)

: CEPA (Canadian Environmental Protection Act): All components are on the DSL (Domestic Substance List)

SARA Title III (Emergency Planning and

Community Right-To-Know Act)

This product does not contain any chemicals subject to the reporting

requirements of SARA Section 313

California Proposition 65 WARNING. This product contains a chemical known to State of

California to cause cancer and birth defects or other reproductive

harm.

Canada

WHMIS Classifications

Class D. Division 2B, Toxic Material at > 1%

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Gulf Synthetics, LLC from its supplier, and because Gulf Synthetics, LLC has no control over the conditions of handling and use, Gulf Synthetics, LLC makes no warranty, express or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and Gulf Synthetics, LLC assumes no responsibility for use or reliance thereon. It is the responsibility of the user of Gulf Synthetics, LLC products to comply with all applicable federal, state, local, or provincial laws and regulations. MATERIAL SAFETY DATA SHEET

Identity: Gulf Synthetic Proprietary

Revision Date: May 15, 2011 Dry Chemistry Supersedes: February 18, 2009

Section I - Company Information

Gulf Synthetics, LLC Provider's Name:

Address: 1340 Oak Industrial Lane, Suite 300

City, State, Zip Cumming, GA 30041 (877) 946-4853 Emergency Phone:

Section II - Hazardous Ingredients/Identity Information

<u>COMPONENT</u>		OSHA PEL	ACGIH TLV	CAS NO.
Silica Sand	% WT: 50%		N/A	N/A
CaSO4 – 1/2 H2O	% WT:47%	7.5 mg/m³ Total Dust	5 mg/m³ Total Dust	7778-18-9
Portland Cement	% WT: 3%	5.0 mg/m³ Total Dust	5 mg/m³ Total Dust	65997-15-9

Section III - Physical/Chemical Characteristics of Wet Component

Melting Point (decomposes) 1450° C Boiling Point: N/A Vapor Pressure **Evaproation Rate** N/A N/A

Vapor Density: N/A Appearance and odor Low Odor, Off White powder

Specific Gravity (H₂O = 1) 2.7 Solubility in Water: 0.2%

Section IV - Fire and Explosion Hazard Data

Flash Point None

Flammable Limits LEL-N/A UEL- N/A Extinguishing Media Not Combustible

Unusual Fire and Explosion None

Section V - Reactivity Data

Stability Stable

Hazardous Decomposition or Byproducts Above 1450° C - SO₂ and CaO

Hazardous Polymerization Will Not Occur

Section VI - Health Hazard Data

Route of Entry Inhalation yes

Health Hazards Acute: Eyes – May cause irritiation. Skin – May develop sufficient heat to

cause burns if a large mass, such as a cast of an arm or leg, is kept in contact with skin while hardening. Inhalation: Dust is considered a nuisance dust.

Carcinogenicity None Mdeical Conditions Generally Aggravated by Exposure

Eyes: Flood eyes for 15 minutes with water.

Skin Remove from skin by washing, if irritation continues, see physician obstruction. See physician

Personal precautions

Wear skin, eye, and repiratory protection during cleanup. Floor may become slippery if spilled

Methods for cleaning up

Contain spill. Soak up material with absorbent and shovel into a chemical waste container.

Section VII - Precautions for Safe Handling and Use

In case of spillage or accidental release Sweep up, Avoid creating excess dust. Slurry may plug drains

Water Disposal Follow all local, state, and federal regulations

Handling and Storage Dew point conditions or other conditions causing the presence of

liquid water during storage will harden gypsum cement

Section VIII - Control Measures

Respiratory Protection N1OSH approved nuisance dust respirator if above TLV

Local Exhaust If above, TLV

Protective Gloves If dust or slurry is irritating

Eye Protection Dust goggles or safety glasses if dust is annoying

Other Protective Clothing none

The information and recommendations set forth herein are believed to be accurate. Because some of the information is derived from information provided to Gulf Synthetics, LLC from its supplier, and because Gulf Synthetics, LLC has no control over the conditions of handling and use, Gulf Synthetics, LLC makes no warranty, express or implied, regarding the accuracy of the data or the results to be obtained from the use thereof. The information is supplied solely for your information and consideration, and Gulf Synthetics, LLC assumes no responsibility for use or reliance thereon. It is the responsibility of the user of Gulf Synthetics, LLC products to comply with all applicable federal, state, local, or provincial laws and regulations.

END OF MSDS